

GF Piping Systems

+GF+

Fuseal[®] Corrosive Waste Piping System

// Pipe, Fittings, Accessories
// Electrofusion
// Mechanical Joint





Fuseal® polypropylene piping system

Easy and reliable solution for corrosive waste piping systems

Excellent corrosion, chemical, and environment resistance

Fuseal® PP is resistant to the corrosive action of alkalis, alcohols, acids, solvents and salt solutions. Dilute mineral acids and aqueous solutions of acid salts, which are so destructive to most metals, have no effect on the Fuseal PP system. In general, Fuseal PP is attacked only by strong oxidizing acids and weakened by certain organic solvents and chlorinated hydrocarbons. Fuseal PP will not rust, pit, scale, corrode or be affected by electrolysis.

Fuseal PP piping systems have excellent chemical resistance and physical properties which make the system ideal for handling corrosive waste mixtures of acids, bases and solvents present in laboratory, industrial or food and beverage processing DWV applications..

In above ground installations, the pigmentation protects the system from sunlight. The pigmentation is highly resistant to ultraviolet radiation and is heat-stabilized to provide long life while handling hot reagents.

High temperature rating

Fuseal handles corrosive drainage fluids up to 212°F (100°C) intermittently, continuous service up to 180°F (82°C).

Applications

Excellent chemical and physical properties make the Fuseal PP system ideal for handling corrosive chemical waste solutions present in laboratory and industrial DWV applications. Fuseal PP is suitable for use in chemical and industrial plants as well as in food and beverage, hospital and university laboratories, anywhere where mixtures of acids, bases and solvents are drained. Fuseal PP is replacing many metallic waste systems that are failing due to corrosion.



Benefits

- Low installation cost with maintenance-free service
- Chemical and corrosion resistance
- Flame retardant PP (above grade), non-flame retardant PP (below grade)
- High temperature, intermittent discharges up to 212°F (100°C), continuous up to 180°F (82°C)
- Can be used for pressurized drainage applications up to 50 psi
- Both electrofusion and mechanical joints
- Easy-to-operate, highly reliable electrofusion machines

Fields of application

- Corrosive waste drainage
- Life sciences
- Chemical process industry
- Shipbuilding/marine
- Food and beverage

Product range

Fittings	Connection	Size	Material
Fuseal	New electrofusion locking collar	1 ½”-6”	Flame retardant polypropylene
Fuseal LD	Electrofusion loose coil Butt fusion	8”-14” 16”-18”	Flame retardant and non flame retardant polypropylene
Fuseal MJ	Mechanical joint	1 ½”-4”	Flame retardant polypropylene
Pipes		Size	Material
Schedule 40		1 ½”-12”	Flame retardant polypropylene
Schedule 80		1 ½”-6”	Flame retardant polypropylene
Schedule 40		1 ½”-18”	Non flame retardant polypropylene
Schedule 80		1 ½”-12”	Non flame retardant polypropylene

Electrofusion process

Electrofusion is defined as the joining process where two plastic parts are fused utilizing electrical heat resistance to form a permanent joint.

A plastic coated copper wire is wound into a coil and is then inserted into a fitting socket.

The pipe is then inserted into the fitting socket and an electric current is applied to the coil, producing heat that generates sufficient temperatures to melt the surrounding plastic and create a "melt zone."


Fusion occurs when the joint cools below the melt temperature of the plastic material, leaving a permanent joint that is proven to be as strong as, if not stronger than, the individual components.

Mechanical joint

Make fast, leakproof joints in two easy steps. Slide the nut, grab ring and seal ring on the pipe. Insert the pipe into the socket and tighten. That's it!

As the nut is tightened, the grab ring grips the pipe and prevents the o-ring from displacing. Further tightening seals the o-ring to ensure a leakproof joint.

This simple method of joining cuts installation time in half and requires no electricity, or pipe grooving.



The perfect union

An engineer or contractor can combine the benefits of the Fuseal electrofusion joint and the mechanical joint in a single system. Fuseal can be used in inaccessible areas: Fuseal mechanical joint works well under benches, where speed of installation or future disassembly is needed.

One of the advantages for installers is that one fusion machine can do all their laboratory needs: Fuseal PP and Fuseal 25/50™ for corrosive waste and in plenums, Fuseal Squared® for double containment and PPro-Seal™ PP for DI water loops.

Electro Plus fusion machine



Electro Plus® fusion machine

- Intuitive user interface
- Multiple joint capability for speedy installations
- Integral carrying case for ease of transportation
- Network and generator compatible for simple operation
- Self-diagnostic system takes the guesswork out of error detection
- Automatic compensation for ambient temperature
- One-button repeat fusion cycle for same size joints
- Use to install Fuseal PP, Fuseal 25/50, Fuseal Squared special waste piping systems as well as PPro-Seal™ natural PP process water piping systems

Fuseal fusion locking collar

The rotatable collar which contains the electrofusion coil, has been strengthened and now locks in place. The coil and its electrical connector still rotate for convenience, but can better handle the tough conditions during installation in the field.

The many improved benefits include:

- Strengthened coil
- Locking groove on fitting hub
- Four tabs molded into collar locks into the grooves on fitting hub to resist axial motion while allowing for 360° collar rotation.
- Four slots allow visual confirmation of collar location on fitting



GF Piping Systems

Our sales companies and representatives ensure local customer support in over 100 countries.

Argentina / Southern South America
Georg Fischer Central Plastics
Sudamérica S.R.L.
Buenos Aires, Argentina
Phone +5411 4512 02 90
gfcentral.ps.ar@georgfischer.com

Australia
George Fischer Pty Ltd
Riverwood NSW 2210 Australia
Phone +61(0)2 9502 8000
australia.ps@georgfischer.com
www.georgfischer.com.au

Austria
Georg Fischer
Rohrleitungssysteme GmbH
3130 Herzogenburg
Phone +43(0)2782 856 43-0
austria.ps@georgfischer.com
www.georgfischer.at

Belgium / Luxembourg
Georg Fischer NV/SA
1070 Bruxelles/Brüssel
Phone +32(0)2 556 40 20
be.ps@georgfischer.com
www.georgfischer.be

Brazil
Georg Fischer Sist. de Tub. Ltda.
04795-100 São Paulo
Phone +55(0)11 5525 1311
br.ps@georgfischer.com
www.georgfischer.com.br

Canada
Georg Fischer Piping Systems Ltd
Mississauga, ON L5T 2B2
Phone +1(905)670 8005
Fax +1(905)670 8513
ca.ps@georgfischer.com
www.georgfischer.ca

China
Georg Fischer Piping Systems Ltd
Shanghai 201319
Phone +86(0)21 3899 3899
china.ps@georgfischer.com
www.georgfischer.cn

Denmark / Iceland
Georg Fischer A/S
2630 Taastrup
Phone +45 (0)70 22 19 75
info.dk.ps@georgfischer.com
www.georgfischer.dk

Finland
Georg Fischer AB
01510 VANTAA
Phone +358 (0)9 586 58 25
Fax +358 (0)9 586 58 29
info.fi.ps@georgfischer.com
www.georgfischer.fi

France
Georg Fischer SAS
95932 Roissy Charles de Gaulle Cedex
Phone +33(0)1 41 84 68 84
fr.ps@georgfischer.com
www.georgfischer.fr

Germany
Georg Fischer GmbH
73095 Albershausen
Phone +49(0)7161 302-0
info.de.ps@georgfischer.com
www.georgfischer.de

India
Georg Fischer Piping Systems Ltd
400 076 Mumbai
Phone +91 224007 2001
in.ps@georgfischer.com
www.georgfischer.in

Italy
Georg Fischer S.p.A.
20063 Cernusco S/N (MI)
Phone +3902 921 861
it.ps@georgfischer.com
www.georgfischer.it

Japan
Georg Fischer Ltd
556-0011 Osaka,
Phone +81(0)6 6635 2691
jp.ps@georgfischer.com
www.georgfischer.jp

Korea
Georg Fischer Piping Systems
271-3 Seohyeon-dong Bundang-gu
Seongnam-si, Gyeonggi-do
Seoul 463-824
Phone +82 31 8017 1450
Fax +82 31 8017 1454
kor.ps@georgfischer.com
www.georgfischer.kr

Malaysia
Georg Fischer (M) Sdn. Bhd.
40460 Shah Alam, Selangor Darul Ehsan
Phone +60 (0)3 5122 5585
my.ps@georgfischer.com
www.georgfischer.my

Mexico / Northern Latin America
Georg Fischer S.A. de C.V.
Apodaca, Nuevo Leon
CP66636 Mexico
Phone +52 (81)1 340 8586
Fax +52 (81)1 522 8906
mx.ps@georgfischer.com
www.georgfischer.mx

Middle East
Georg Fischer
Piping Systems (Switzerland) Ltd.
Dubai, United Arab Emirates
Phone +971 4 289 49 60
gcc.ps@georgfischer.com
www.export.georgfischer.com

Netherlands
Georg Fischer N.V.
8161 PA Epe
Phone +31(0)578 678 222
nl.ps@georgfischer.com
www.georgfischer.nl

New Zealand
Georg Fischer Ltd
13 Jupiter Grove, Upper Hutt 5018
PO Box 40399, Upper Hutt 5140
Phone +64(0)4 527 9813
nz.ps@georgfischer.com
www.gfps.com/nz

Norway
Georg Fischer AS
1351 Rud
Phone +47(0)67 18 29 00
no.ps@georgfischer.com
www.georgfischer.no

Poland
Georg Fischer Sp. z o.o.
05-090 Sekocin Nowy
Phone +48(0)22 31 31 0 50
poland.ps@georgfischer.com
www.georgfischer.pl

Romania
Georg Fischer
Piping Systems (Switzerland) Ltd.
020257 Bucharest - Sector 2
Phone +40(0)21 230 53 80
ro.ps@georgfischer.com
www.export.georgfischer.com

Russia
Georg Fischer
Piping Systems (Switzerland) Ltd.
Moscow 125047
Tel. +7 495 258 60 80
ru.ps@georgfischer.com
www.georgfischer.ru

Singapore
Georg Fischer Pte Ltd
11 Tampines Street 92, #04-01/07
528 872 Singapore
Phone +65 6747 0611
sgp.ps@georgfischer.com
www.sg.piping.georgfischer.com

Spain / Portugal
Georg Fischer S.A.
28046 Madrid
Phone +34(0)91 781 98 90
es.ps@georgfischer.com
www.georgfischer.es

Sweden
Georg Fischer AB
117 43 Stockholm
Phone +46(0)8 506 775 00
info.se.ps@georgfischer.com
www.georgfischer.se

Switzerland
Georg Fischer
Rohrleitungssysteme (Schweiz) AG
8201 Schaffhausen
Phone +41(0)52 631 30 26
ch.ps@georgfischer.com
www.piping.georgfischer.ch

Taiwan
Georg Fischer Co., Ltd.
San Chung Dist., New Taipei City
Phone +886 2 8512 2822
Fax +886 2 8512 2823
www.georgfischer.tw

United Kingdom / Ireland
Georg Fischer Sales Limited
Coventry, CV2 2ST
Phone +44(0)2476 535 535
uk.ps@georgfischer.com
www.georgfischer.co.uk

USA / Caribbean
Georg Fischer LLC
Irvine, CA 92618
Phone +1(714) 731 88 00
Toll Free 800 854 40 90
us.ps@georgfischer.com
www.gfpiping.com

Vietnam
George Fischer Pte Ltd
136E Tran Vu, Ba Dinh District, Hanoi
Phone +84 4 3715 3290
Fax +84 4 3715 3285

International
Georg Fischer
Piping Systems (Switzerland) Ltd.
8201 Schaffhausen/Switzerland
Phone +41(0)52 631 30 03
Fax +41(0)52 631 28 93
info.export@georgfischer.com
www.export.georgfischer.com

www.gfps.com

The technical data is not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification.
Our General Terms of Sale apply.

GF Piping Systems

Tel. (714) 731-8800, Toll Free (800) 854-4090, Fax (714) 731-6201
us.ps@georgfischer.com, www.gfpiping.com

